ELSEVIER

Volumes 253–254, Numbers 1–2, 20 May 1997

Journal of ALLOYS AND COMPOUNDS

# Contents

**New compounds, new materials**

Ti-doped alkali metal aluminium hydrides as potential novel reversible hydrogen storage materials . . . . . 1
B. Bogdanović, M. Schwickardi (Mülheim an der Ruhr, Germany)

Synthesis of novel compounds by hydrogen combustion . . . . . 10
S.K. Dolukhanyan (Yerevan, Armenia)

Synthesis and structure determination of complex zinc hydrides. Part 4: Trirubidium and tricaesium tetrahydridozincate(II) hydride, $Rb_3ZnH_5$ and $Cs_3ZnH_5$ . . . . . 13
M. Bortz (Genève, Switzerland), A. Hewat (Grenoble, France), K. Yvon (Genève, Switzerland)

Orthorhombic $Ba_6Mg_7H_{26}$: a new fluoride-related ternary alkaline earth hydride . . . . . 17
F. Gingl (Genève, Switzerland), A. Hewat (Grenoble, France), K. Yvon (Genève, Switzerland)

Hydrogen absorption and modulated structure in Ti–V–Mn alloys . . . . . 21
H. Iba (Aichi, Japan), E. Akiba (Ibaraki, Japan)

Hydrogenation of fullerenes $C_{60}$ and $C_{70}$ in the presence of hydride-forming metals and intermetallic compounds . . . . . 25
B.P. Tarasov, V.N. Fokin, A.P. Moravsky, Yu.M. Shul'ga (Chernogolovka, Russia), V.A. Yartys (L'viv, Ukraine)

Effects of nonmetal addition on hydriding properties for Ti–Mn Laves phase alloys . . . . . 29
Y. Morita, T. Gamo, S. Kuranaka (Osaka, Japan)

Characterization and hydriding properties of Mg-graphite composites prepared by mechanical grinding as new hydrogen storage materials . . . . . 34
H. Imamura, N. Sakasai, T. Fujinaga (Ube, Japan)

Synthesis and transformations of hydrides under high quasihydrostatic pressures . . . . . 38
V.N. Verbetsky, E.A. Movlaev (Moscow, Russia)

High pressure hydride phases formation in $Ti_2Ni$- and $MoSi_2$-type intermetallic compounds . . . . . 41
S.N. Klyamkin, K.N. Semenenko (Moscow, Russia)

**Thin films, superlattices**

Yttrium and lanthanum hydride films with switchable optical properties . . . . . 44
R. Griessen, J.N. Huiberts, M. Kremers, A.T.M. van Gogh, N.J. Koeman, J.P. Dekker (Amsterdam, The Netherlands), P.H.L. Notten (Eindhoven, The Netherlands)

Metallic superlattices: quasi two-dimensional playground for hydrogen . . . . . 51
B. Hjörvarsson, G. Andersson, E. Karlsson (Uppsala, Sweden)

Thickness dependence of the hydrogen solubility in epitaxial Nb(110) films grown on $Al_2O_3$(11.0) substrates . . . . . 58
A. Abromeit, R. Siebrecht, G. Song, H. Zabel (Bochum, FRG), F. Klose, D. Nagengast, A. Weidinger (Berlin, FRG)

Electron emission at the surface of metal tritide films . . . . . 62
N.P. Kherani, W.T. Shmayda, J.M. Perz, K.G. McNeill, S. Zukotynski (Toronto, Canada)

Analysis of hydrogen in Nb thin films and Nb/Cu multilayers, using ion beams . . . . . 66
S. Yamamoto, H. Naramoto, Y. Aoki (Gunma, Japan)

Elsevier Science S.A.

**Nanocrystalline, icosahedral and amorphous materials**

Nanocrystalline metal hydrides . . . . . 70
L. Zaluski, A. Zaluska, J.O. Ström-Olsen (Montréal, Canada)

Cooperative hydriding properties in a nanostructured $Mg_2Ni$–H system . . . . . 80
H. Fujii, S. Orimo, K. Ikeda (Higashi-Hiroshima, Japan)

Hydrogen in nanocrystalline palladium . . . . . 84
H. Natter, B. Wettmann, B. Heisel, R. Hempelmann (Saarbrücken, Germany)

Nanocrystalline hydrogen storage alloys for rechargeable batteries . . . . . 87
H. Kronberger (Wien, Austria)

Hydrogen absorption in an icosahedral ZnMgY alloy . . . . . 90
A.P. Tsai (Tsukkuba, Japan), A. Niikura (Sendai, Japan), K. Aoki (Hokkaido, Japan), T. Masumoto (Sendai, Japan)

Hydriding properties of a nano-/amorphous-structured Mg–Ni–H system . . . . . 94
S. Orimo, H. Fujii, K. Ikeda, Y. Fujikawa (Higashi-Hiroshima, Japan), Y. Kitano (Matsue, Japan)

Hydrogen-induced resistivity increase in amorphous and metastable crystalline (Fe,Co,Ni)–Zr ribbons . . . . . 98
J. Tóth, I. Bakonyi, K. Tompa (Budapest, Hungary)

Hydrogen absorbing and desorbing properties of Nd–Fe–B and Nd–Co–B amorphous alloys . . . . . 101
K. Tanaka, Y. Hayashi, M. Kimura, M. Yamada (Nagoya, Japan)

Hydrogen-induced amorphization of C15 Laves $TbFe_2$ compound . . . . . 106
K. Aoki, K. Mori, H. Onodera, T. Masumoto (Sendai, Japan)

Hydrogen-induced amorphization of $YNi_2$ enhanced by mechanical grinding . . . . . 110
K. Funaki, S. Orimo, H. Fujii (Higashi-Hiroshima, Japan)

Electrical resistance change during hydrogen charging and discharging in $Ni_{67-x}Cu_xZr_{33}$ glassy alloys . . . . . 114
J. Garaguly, A. Lovas, K. Tompa, J. Takács (Budapest, Hungary)

Structure of hydrogenated amorphous $Ni_{56}Dy_{44}$ . . . . . 118
M. Nuding, P. Lamparter, S. Steeb (Stuttgart, Germany), R. Bellissent (Gif-sur-Yvette, France)

**The role of hydrogen in materials processing, embrittlement, hydrogen detection**

Hydrogen in hard magnetic materials . . . . . 121
D. Fruchart, M. Bacmann, P. de Rango, O. Isnard, S. Liesert, S. Miraglia (Grenoble, France), S. Obbade (Villeneuve d'Asq, France), J.-L. Soubeyroux (Grenoble, France), E. Tomey (Pau, France), P. Wolfers (Grenoble, France)

Desorption characteristics of rare earth (R) hydrides (R = Y, Ce, Pr, Nd, Sm, Gd and Tb) in relation to the HDDR behaviour of R–Fe-based-compounds . . . . . 128
V.A. Yartys (Lviv, Ukraine), O. Gutfleisch (Birmingham, UK), V.V. Panasyuk (Lviv, Ukraine), I.R. Harris (Birmingham, UK)

Further studies of hydrogenation, disproportionation, desorption and recombination processes in a $Nd_5Fe_2B_6$ boride . . . . . 134
V.A. Yartys (Lviv, Ukraine), O. Gutfleisch, I.R. Harris (Birmingham, UK)

The hydrogenation–disproportionation–desorption–recombination process of $Nd_2Fe_{14}B$ studied by in-situ neutron diffraction and thermomagnetic measurements . . . . . 140
S. Liesert, D. Fruchart, P. de Rango, J.L. Soubeyroux (Grenoble, France)

Hydrogen influence on plastic deformation mechanism of β-titanium alloys of Ti–Nb system . . . . . 144
A.A. Ilyin, M.Yu. Kollerov, I.S. Golovin (Moscow, Russia)

Alloy development to minimize room temperature hydrogen embrittlement in iron aluminides . . . . . 148
R. Balasubramaniam (Kanpur, India)

Hydrogen in the martensitic DIN 1.4914: a review . . . . . 152
A. Perujo, E. Serra, S. Alberici, S. Tominetti, J. Camposilvan (Ispra, Italy)

Hydrogen detection by prompt gamma-ray activation analysis (PGAA) . . . . . 156
M. Crittin, J. Jolie, J. Kern, S.J. Mannanal (Fribourg, Switzerland), R. Schwarzbach (Villigen-PSI, Switzerland)

**Phase diagrams**

Observation of the $\beta$–$\delta$ phase transformation in deuterated iodide titanium films by electrical resistance measurements . . . . . 158
F. Cuevas, J.F. Fernández, C. Sánchez (Madrid, Spain)

Hydrogen solubility limits in $\alpha$- and $\beta$-zirconium . . . . . 162
D. Khatamian, V.C. Ling (Chalk River, Canada)

Solubility of hydrogen and deuterium in bcc uranium–titanium alloys . . . . . 167
G.L. Powell, J.R. Kirkpatrick (Oak Ridge, TN, USA)

The phase diagrams of β-$RH_{2+x}$ systems (R = La, Ce, Tb). Results of mean-field calculations . . . . . 171
I.G. Ratishvili, P. Vajda (Palaiseau, France)

Deuterium absorption in $Pd_{0.9}Y_{0.1}$ alloy . . . . . 175
P.A. Poyser, M. Kemali, D.K. Ross (Salford, UK)

Deformations induced by high loading ratios in palladium–deuterium compounds . . . . . 181
A. De Ninno, A. La Barbera, V. Violante (Rome, Italy)

Material characteristics and behaviour of highly deuterium loaded palladium by electrolysis . . . . . 185
N. Asami, T. Senjuh, H. Kamimura, M. Sumi, E. Kennel, T. Sakai, K. Mori, H. Watanabe, K. Matsui (Hokkaido, Japan)

**Thermodynamics, thermal analysis**

Thermodynamic theory of magnetic field effects on chemical equilibria and applications to metal–hydrogen systems . . . . . 191
M. Yamaguchi, I. Yamamoto, F. Ishikawa (Yokohama, Japan), T. Goto (Tokyo, Japan), S. Miura (Sendai, Japan)

Analysis of FeTi hydride alloys by thermal analysis, small angle neutron scattering and positron annihilation . . . . . 195
P.J. Hall, L.E.A. Berlouis, A.J. Mackinnon (Glasgow, UK), J. Wilson, D. Browning, S. Dodd, S. Morris, P. Jones (Gosport, UK), J.M. Calo (Providence, RI, USA)

Ti-based laves phase hydrides with high dissociation pressures . . . . . 201
S.V. Mitrokhin, V.N. Verbetsky (Moscow, Russia)

Hysteresis in metal–hydrogen systems . . . . . 203
R. Balasubramaniam (Kanpur, India)

The decomposition of electrochemically loaded palladium hydride: a thermal analysis study . . . . . 207
L.E.A. Berlouis, P.J. Hall, A.J. MacKinnon, A.W. Wark, D. Manuelli, V. Gervais, J.E. Robertson (Glasgow, UK)

Calorimetric study of hydrogen interaction with $LaNi_{3.92}Al_{0.98}$ . . . . . 210
T.V. Ivanova, R.A. Sirotina, V.N. Verbetsky (Moscow, Russia)

Thermodynamic properties for solution of hydrogen in Pd–Pt–Rh ternary alloys . . . . . 212
Y. Sakamoto, K. Ohira, M. Kokubu (Nagasaki, Japan), T.B. Flanagan (Burlington, VT, USA)

**p-c-t Isotherms**

The effect of cycling through the hydride phase on isotherms for fcc Pd-rich alloys . . . . . 216
T.B. Flanagan, D. Wang, H. Noh (Burlington, VT, USA)

Pressure–composition measurements and microstructural analysis of the Laves phases $Zr(Cr_{0.5}Mo_{0.2}M_{0.3})_2$ with M = Fe, Co, Ni . . . . . 221
M. Bououdina, P. de Rango, D. Fruchart, J.L. Soubeyroux (Grenoble, France)

Split plateaux in the $LaNi_5$–H system and the effect of Sn substitution on splitting . . . . . 226
S. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), R.C. Bowman Jr. (Pasadena, CA, USA), J.S. Cantrell (Oxford, OH, USA)

Hydrogenation and phase structure of Ti–Fe–V alloys . . . . . 232
H. Miyamura (Shiga, Japan), T. Sakai, N. Kuriyama, H. Tanaka, I. Uehara, H. Ishikawa (Osaka, Japan)

Hydrogen absorption and desorption isotherms in the solid solution regions of the $LaNi_5$–H system . . . . . 235
H. Uchida, M. Sato, O. Moriwaki (Kanagawa, Japan)

Hydrogenation characteristics of $TiFe_{1-x}Pd_x$ ($0.05 \leq x \leq 0.30$) alloys . . . . . 238
I. Yamashita (Chuo Wako Saitama, Japan), H. Tanaka, H. Takeshita, N. Kuriyama, T. Sakai, I. Uehara (Osaka, Japan)

**Crystal structure and dynamics**

Neutron scattering studies of the structure and dynamics of rare-earth hydrides and deuterides . . . . . 241
T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), Q. Huang (Gaithersburg and College Park, MD, USA), I.S. Anderson (Grenoble, France)

Incoherent inelastic neutron scattering from the C-15 Laves phase $ZrTi_2H_{3.6}$ . . . . . 248
J.F. Fernandez, M. Kemali, D.K. Ross (Salford, UK)

Neutron spectroscopy of localized modes in $CeD_{2-x}H_y$ . . . . . 252
P. Vorderwisch, S. Hautecler (Berlin, Germany), J. Eckert (Los Alamos, NM, USA)

Vibrational dynamics of hydrogen and deuterium in crystalline $Pd_9Si_2$ . . . . . 255
T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), T.B. Flanagan, H. Noh (Burlington, VT, USA), Y. Andersson (Uppsala, Sweden)

Structure and microdomain structure of ordered niobium hydrides and deuterides by means of neutron scattering . . . . . 258
B. Hauer (Jülich and Saarbrücken, Germany), R. Hempelmann (Saarbrücken, Germany), T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), W. Kockelmann, E. Jansen, W. Schäfer, D. Richter (Jülich, Germany)

Hydrogen in aluminum . . . . . 260
H.K. Birnbaum, C. Buckley, F. Zeides, E. Sirois, P. Rozenak (Urbana, IL, USA), S. Spooner, J.S. Lin (Oak Ridge, TN, USA)

Neutron diffraction study of atomic bonding properties in the hydrogen-absorbing $Zr(Al_xFe_{1-x})_2$ system . . . . . 265
A. Israel, I. Jacob (Beer Sheva, Israel), J.L. Soubeyroux, D. Fruchart (Grenoble, France), H. Pinto, M. Melamud (Beer Sheva, Israel)

Powder X-ray diffraction under a high-pressure hydrogen atmosphere for Zr–Cr based Laves phase alloys . . . . . 268
S. Kuranaka, T. Gamo, Y. Morita (Osaka, Japan)

Structural and magnetic study of new $YFe_2D_x$ compounds ($0 < x \leq 3.5$) . . . . . 272
V. Paul-Boncour, L. Guénée, M. Latroche, M. Escorne, A. Percheron-Guégan (Meudon, France), Ch. Reichl, G. Wiesinger (Wien, Austria)

The interaction of oxygen (nitrogen) with hydrogen in Ti, V and Ta . . . . . 275
V.V. Sumin, Ch. Gantulga (Moscow, Russia)

Neutron powder diffraction investigations of pure and deuterated $Ti_3PO_{0.58}$ . . . . . 279
Y. Andersson, T. Larsson, R. Tellgren (Uppsala, Sweden)

Neutron diffraction study of deuterium ordering in C15 type $TaV_2D_x$ ($x > 1$) in the temperature range of 1.5–295 K . . . . . 282
P. Fischer (Villigen-PSI, Switzerland, F. Fauth (Villigen-PSI, Switzerland and Grenoble, France), A.V. Skripov, A.A. Podlesnyak (Ekaterinburg, Russia), L.N. Padurets, A.L. Shilov (Moscow, Russia), B. Ouladdiaf (Grenoble, France)

The hydride fluoride crystal structure database, HFD . . . . . 286
F. Gingl, L. Gelato, K. Yvon (Genève, Switzerland)

Interstitial site occupation in α-$LaNi_5$-H studied by deep inelastic neutron scattering . . . . . 291
E. MacA. Gray (Brisbane, Australia), M. Kemali (Salford, UK), J. Mayers, J. Norland (Didcot, UK)

In situ neutron diffraction study of solid gas desorption of non-stoichiometric $AB_5$ type hydrides . . . . . 295
M. Latroche (Meudon, France), P.H.L. Notten (Eindhoven, The Netherlands), A. Percheron-Guégan (Meudon, France)

About hydrogen insertion in $ThMn_{12}$ type alloys . . . . . 298
S. Obbade (Villeneuve d'Ascq and Grenoble, France), D. Fruchart, M. Bououdina, S. Miraglia, J.L. Soubeyroux, O. Isnard (Grenoble, France)

Study of the system $Zr_{1-x}Ti_x(Cr_{0.5}M_{0.4}V_{0.1})_2 - H_2$ ($0 \leq x \leq 0.2$, M = Fe, Co, Ni) . . . . . 302
M. Bououdina, P. Menier, J.L. Soubeyroux, D. Fruchart (Grenoble, France)

Distribution of hydrogen atoms in $YPd_3H_x$ studied by neutron diffraction and inelastic neutron scattering . . . . . 308
S. Yamaguchi, M. Ohashi, T. Kajitani (Sendai, Japan), K. Aoki (Kitami, Japan), S. Ikeda (Tsukuba, Japan)

Synthesis and crystal structure of tetragonal $LnMg_2H_7$ (Ln = La, Ce), two Laves phase hydride derivatives having ordered hydrogen distribution . . . . . 313
F. Gingl, K. Yvon (Genève, Switzerland), T. Vogt (Long Island, NY, USA), A. Hewat (Grenoble, France)

Neutron diffraction study of $HoFe_{11}TiD_x$ deuterides . . . . . 318
A. Apostolov, R. Bezdushnyi, N. Stanev, R. Damianova (Sofia, Bulgaria), D. Fruchart, O. Isnard, J.L. Soubeyroux (Grenoble, France)

**Electronic structure**

Alloying effect on the electronic structures of hydrogen storage compounds . . . . . 322
H. Yukawa, M. Moringa, Y. Takahashi (Aichi, Japan)

Electronic structure investigation of the $A_2PtH_4$ hydrides (A = Na, K) containing $[PtH_4]$ complexes . . . . . 326
E. Orgaz, M. Gupta (Orsay, France)

Internal pressure effect in the series of perovskite structure hydrides: $APdH_3$ (A = Sr,Eu,Yb) . . . . . 330
E. Orgaz, V. Mazel, M. Gupta (Orsay, France)

**Electric and magnetic properties**

The effect of hydrogen uptake on the Hall resistivity and the electrical resistivity of gadolinium films . . . . . 333
D.E. Azofeifa, N. Clark (San José, Costa Rica)

Magnetic properties of the $LaNi_5$–H system . . . . . 336
T.P. Blach, E. MacA. Gray (Brisbane, Australia)

$^{119}Sn$ Mössbauer study of $Mn_3SnH_x$ . . . . . 339
G. Grosse, F.E. Wagner (Garching, Germany), V.E. Antonov, T.E. Antonova (Moscow, Russia)

Hydrogen absorption–desorption, crystal structure and magnetism in RENiAl intermetallic compounds and their hydrides . . . 343
A.V. Kolomiets, L. Havela (Prague, Czech Republic and Luiv, Ukraine), V.A. Yartys (Lviv, Ukraine), A.V. Andreev (Prague, Czech Republic)

Hydrogen-induced change of the magnetic coupling in Nb/Fe multilayers . . . . . 347
D. Nagengast, Ch. Rehm, F. Klose, A. Weidinger (Berlin, Germany)

High field magnetization of metal hydrides under hydrogen pressure . . . . . 350
F. Ishikawa, I. Yamamoto, M. Yamaguchi (Yokohama, Japan), M.I. Bartashevich (Tokyo, Japan and Ekaterinburg, Russia), T. Goto (Tokyo, Japan)

**Hydrogen diffusion, tunneling, trapping, mobility**

Mössbauer experiments with $^{57}Fe$ and $^{57}Co$ in palladium hydride: Diffusional relaxation and high hydrogen concentrations . . 353
M. Baier, G.F. Schneider, F.E. Wagner (Garching, Germany), I. Dugandžić, H.J. Bauer (München, Germany), V.E. Antonov, T.E. Antonova (Chernogolovka, Russia)

Hopping and tunnelling of H(D) in semiconductors . . . . . 356
G. Cannelli (Cosenza, Italy), R. Cantelli, M. Capizzi, F. Cordero, A. Frova, E. Giovine, F. Trequattrini (Roma, Italy)

Reorientation of the Ce–D pairs in a $Pd_{0.5}Ce_3D_n$ alloy . . . . . 360
B. Coluzzi, A. Biscarini, R. Campanella, G. Floridi, F.M. Mazzolai (Perugia, Italy), Y. Sakamoto (Nagasaki, Japan), F.A. Lewis (Belfast, UK)

Investigation of interaction of hydrogen with solute atoms by means of internal friction and diffusion data . . . . . 364
M.S. Blanter (Moscow, Russia)

Hydrogen and oxygen motion in yttrium by anelastic relaxation measurements . . . . . 367
G. Cannelli (Arcavacata di Rende, Italy), R. Cantelli, F. Cordero, F. Trequattrini, A. Sermoneta (Roma, Italy)

Hydrogen permeability and diffusivity in amorphous Metglas 2826MB under AC excitation . . . . . 370
S.L.I. Chan (Taipei, Taiwan, ROC), C.I. Chiang (Lung-Tan, Taiwan, ROC)

Hopping rates of H(D) bound to heavy interstitials in Ta as investigated by mechanical spectroscopy at MHz frequencies . . . 374
L. Di Masso, A. Biscarini, B. Coluzzi, F.M. Mazzolai (Perugia, Italy)

Hydrogen-diffusion in $Pd_{1-x}Ag_x$ ($0 \leq x \leq 1$) . . . . . 378
L. Opara, B. Klein, H. Züchner (Münster, Germany)

Hydrogen transport parameters for a cobalt based alloy . . . . . 381
M.R. Shanabarger (Santa Barbara, CA, USA)

A study of hydrogen diffusion in hexagonal $YH_x$ single crystals ($x \leq 0.10$) by mechanical spectroscopy . . . . . 386
B. Kappesser, H. Wipf (Darmstadt, Germany), R.G. Barnes, B.J. Beaudry (Ames, IA, USA)

Hydrogen diffusion in multi-phase LaNiFe alloys . . . . . 390
N. Mommer, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

An investigation of hydrogen diffusion in nanocrystalline Pd by neutron spectroscopy . . . . . 393
U. Stuhr, T. Striffler, H. Wipf (Darmstadt, Germany), H. Natter, B. Wettmann, S. Janssen, R. Hempelmann (Saarbrücken, Germany), H. Hahn (Darmstadt, Germany)

Characterising materials for walls of fusion reactors . . . . . 397
A.K. Altunoglu, N.S.J. Braithwaite (Oxford, UK)

Correlation of mass dependence between heat of transport and effective charge of hydrogen isotopes in V, Nb and Ta . . . . . 401
M. Sugisaki, K. Hashizume, K. Fujii (Fukuoka, Japan)

**Muon spectroscopy, NMR, NQR**

Modelling of hydrogen behavior in metals by muons . . . . . 406
A. Schenck (Villigen-PSI, Switzerland)

Muonium states and dynamics as a model for hydrogen in semiconductors . . . . . 414
S.F.J. Cox (Chilton and London, UK), R.L. Lichti (Chilton, UK and Lubbock, TX, USA)

Trapped muon in heavily dislocated palladium . . . . . 420
M. Kemali, D.K. Ross (Salford, UK), S.P. Cottrel (Didsot, UK)

Muon spin relaxation in niobium-hydrogen . . . . . 423
J. Lam, X. Zhang, R.L. Havill, J.M. Titman (Sheffield, UK)

Measuring distributions of jump rates in disordered metal–hydrogen systems by nuclear magnetic relaxation . . . . . 425
L. Hua, X. Zhang, J.M. Titman (Sheffield, UK)

High temperature $^1H$ spin–spin relaxation in Zr–Ni–Cu–H amorphous alloys . . . . . 428
K. Tompa, P. Bánki, C. Hargitai, G. Lasanda, A. Lovas, L.K. Varga (Budapest, Hungary)

Localized motion of hydrogen in C15-type $TaV_2$: nuclear magnetic resonance and neutron scattering study . . . . . 432
A.V. Skripov (Ekaterinburg, Russia), J.C. Cook (Grenoble, France), C. Karmonik, R. Hempelmann (Saarbrücken, Germany)

Nuclear magnetic resonance studies of hydrogen diffusion in the layer-structured system $ZrClH_x$ . . . . . 435
M. Stoll, U. Kaess, G. Majer (Stuttgart, Germany), R.G. Barnes (Ames, IW, USA)

Systematics of the anomalous high-temperature $^{45}Sc$ spin–lattice relaxation in scandium hydrides and deuterides . . . . . 441
M. Jerosch-Herold (Minneapolis, MN, USA), D.R. Torgeson, R.G. Barnes (Ames, IA, USA)

Hydrogen hopping rates and the order–disorder transitions in sub-stoichiometric lanthanum trihydride . . . . . 445
R.G. Barnes, B.J. Beaudry, D.R. Torgeson (Ames, IA, USA), C.T. Chang (College Station, TX, USA), R.B. Creel (Akron, OH, USA)

Nuclear quadrupolar relaxation in metal–hydrogen systems . . . . . 449
R.G. Barnes (Ames, IA, USA), L.M. Cameron (Armidale, Australia), M. Jerosch-Herold (Minneapolis, MN, USA), C.A. Sholl (Armidale, Australia)

**Surface science and interface effects**

Surface properties of the fluorinated La-incorporated Ti/Zr-based $AB_2$ laves phase alloys . . . . . 452
F.-J. Liu, H. Ota, S. Okamoto, S. Suda (Tokyo, Japan)

Ion bombardment induced segregation effects in $VD_x$ studied by SIMS and SNMS . . . . . 459
J. Scholz, H. Züchner (Münster, Germany), H. Paulus, K.-H. Müller (Soest, Germany)

Hydrogen (deuterium) bonding properties in $ZrV_2D_x$ studied by SIMS and SNMS . . . . . 463
F. Loheide, J. Scholz, H. Züchner (Münster, Germany)

The influence of hydrogen on the growth of yttrium on Ni(001) and Ni(110) . . . . . 467
D. Naumović, P. Spatz, J. Hayoz, P. Aebi, L. Schlapbach (Fribourg, Switzerland)

Hydrogen diffusion in oxides formed on surfaces of zirconium alloys . . . . . 471
D. Khatamian (Chalk River, Canada)

Effects of catalyst poisons on UPD and OPD H coverage at $H_2$-evolving cathodes in relation to H sorption into metals . . . . 475
B.E. Conway, J.H. Barber, L. Gao, S.Y. Qian (Ottawa, Canada)

Hydrogen adsorption on Pt and Rh electrodes and blocking of adsorption sites by chemisorbed sulfur . . . . . 481
A. Zolfaghari, F. Villiard, M. Chayer, G. Jerkiewicz (Québec, Canada)

XPS and transmission electron microscopy of the multicomponent hydride-forming alloys for electrochemical applications . . . 488
V.D. Dobrovolsky, Yu.M. Solonin, V.V. Skorokhod, O.Yu. Khizhun (Kiev, Ukraine)

Microstructural characterisation of surface layers of $ZrM_2$ powders (Laves phases) obtained by various corrosion treatments . . 492
M. Backhaus-Ricoult, J.L. Vignes, G. Lorang (Vitry, France), B. Knosp (Marcoussis, France)

Surface phenomena in the process of vanadium hydride formation . . . . . 496
R. Duś, E. Nowicka, Z. Wolfram (Warszawa, Poland)

Fluorination mechanism and its effects on the electrochemical properties of metal hydrides . . . . . 500
M. Sakashita, Z.P. Li, S. Suda (Tokyo, Japan)

$H_2$ dissociative adsorption on palladium hydride and titanium hydride surfaces: Evidence for weakly bound state of hydrogen adatoms . . . . . 506
E. Nowicka, R. Duś (Warszawa, Poland)

Hydrogen absorption of $LaNi_5$ powders precovered with $O_2$, CO, $H_2S$, $CO_2$ or $N_2$ . . . . . 511
F. Schweppe, M. Martin, E. Fromm (Stuttgart, Germany)

Hydrogen adsorption of metal nickel and hydrogen storage alloy electrodes . . . . . 515
X. Gao, J. Liu, S. Ye, D. Song, Y. Zhang (Tianjin, China)

Studies on the properties and characteristics of the fluorinated $AB_5$ hydrogen-absorbing electrode alloys . . . . . 520
Y.-M. Sun, K. Iwata, S. Chiba, Y. Matsuyama, S. Suda (Tokyo, Japan)

Effect of alkaline pretreatment on the initial activation of $LaNi_5$ and $LaNi_{2.5}Co_{2.5}$ in the $H_2$ gas and electrochemical reactions 525
H.-H. Uchida, K. Moriai, K. Aoyama, H. Kondo, H. Uchida (Kanagawa, Japan)

**Reaction kinetics**

Kinetics and mechanisms of metal hydrides formation—a review . . . . . 529
J. Bloch, M.H. Mintz (Beer-Sheva, Israel)

A new approach to the kinetics of $LaNi_5$–$H_2$(g) systems based on impedance spectroscopy analysis . . . . . 542
P. Millet, P. Dantzer (Orsay, France)

Effect of HF pretreatment on $H_2$ reactivity with $LaNi_5$ and $LaNi_{4.7}Al_{0.3}$ . . . . . 547
H. Uchida, T. Inoue, T. Tabata, S. Seki, H.H. Uchida (Kanagawa, Japan), F. Aono, T. Nakazawa (Tokyo, Japan), H. Kikuyama, R. Hirayama (Osaka, Japan)

Experimental analysis and modelling of the hydriding kinetics of Ni-doped and pure Mg . . . . . 550
G. Friedlmeier, M. Groll (Stuttgart, Germany)

Kinetics of hydride formation in massive $LaAl_{0.25}Ni_{4.75}$ samples . . . . . 556
Z. Haberman, J. Bloch, M.H. Mintz, I. Jacob (Beer Sheva, Israel)

Kinetics of water vapour absorption on evaporated iron and titanium films . . . . . 560
Á. Szőkefalvi-Nagy, E. Fromm (Stuttgart, Germany)

**Electrochemical cells I: host alloy, capacity**

Electrochemical performances of $ZrM_2$ (M = V, Cr, Mn, Ni) Laves phases and the relation to microstructures and thermodynamical properties . . . . . 564
J.-M. Joubert, D. Sun, M. Latroche, A. Percheron-Guégan (Meudon, France)

Development of $AB_5$ type hydrogen storage alloys with low Co content for rechargeable Ni–MH batteries with respect to electric vehicle applications . . . . . 570
F. Lichtenberg, U. Köhler (Kelkheim, Germany), A. Fölzer (Treibach, Austria), N.J.E. Adkins (Stoke-on-Trent, UK), A. Züttel (Fribourg, Switzerland)

Gas-phase $H_2$ absorption and microstructural properties of $LaNi_{5-x}Ge_x$ alloys . . . . . 574
C. Witham, R.C. Bowman Jr, B. Fultz (Pasadena, California, USA)

Function of cobalt in $AB_5H_x$ electrodes . . . . . 579
G.D. Adzic, J.R. Johnson, S. Mukerjee, J. McBreen, J.J. Reilly (Upton, NY, USA)

Vanadium-based solid solution alloys with three-dimensional network structure for high capacity metal hydride electrodes . . . 583
M. Tsukahara, K. Takahashi, T. Mishima, A. Isomura (Aichi, Japan), T. Sakai (Osaka, Japan)

Structural- and hydriding-properties of the $Zr(V_{0.25}Ni_{0.75})_\alpha$ $(1 \leq \alpha \leq 4)$ alloy system . . . . . 587
A. Züttel, D. Chartouni, K. Gross, M. Bächler, L. Schlapbach (Fribourg, Switzerland)

Preparation and electrochemical properties of unidirectionally solidified $Ml(NiCoMnTi)_5$ alloys . . . . . 590
Y.Q. Lei (Zhejiang, China), Y. Zhou (Beijing, China), Y.C. Luo, X.G. Yang, Q.D. Wang (Zhejiang, China)

Gas atomized powders of hydride-forming alloys and their application in rechargeable batteries . . . . . 594
Yu.M. Solonin, V.V. Savin, S.M. Solonin, V.V. Skorokhod, L.L. Kolomiets, T.I. Bratanich (Kiev, Ukraine)

Electrochemical activity enhancement of a $LaNi_{4.7}Al_{0.3}$ electrode treated with an alkaline solution containing $H_2O_2$ . . . . . 598
N. Kuriyama, T. Sakai, H. Miyamura, H. Tanaka, H.T. Takeshita, I. Uehara (Osaka, Japan)

The hydrogenation characteristics of Ti-Zr-V-Mn-Ni C14 type Laves phase alloys for metal hydride electrodes . . . . . 601
H.-H. Lee, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

Electrode characteristics of metal hydride electrodes prepared by mechanical alloying . . . . . 605
C.B. Jung, K.S. Lee (Seoul, South Korea)

Correlation between crystal structure and electrochemical properties of C14 Laves-phase alloys . . . . . 609
H. Nakano (Shizuoka, Japan), S. Wakao (Tokyo, Japan), T. Shimizu (Nagoya, Japan)

Hydriding behavior of gas-atomized $AB_5$ alloys . . . . . 613
R.C. Bowman Jr., C. Witham, B. Fultz, B.V. Ratnakumar (Pasadena, CA, USA), T.W. Ellis, I.E. Anderson (Ames, IA, USA)

Experimental study of electrochemical deuterium loading of Pd cathodes in the $LiOD/D_2O$ system . . . . . 617
T. Senjuh, H. Kamimura, T. Uehara, M. Sumi, S. Miyasita (Sapporo, Japan), T. Sigemitsu (Osaka, Japan), N. Asami (Sapporo, Japan)

Effects of the materials processing on the hydrogen absorption properties of $MmNi_5$ type alloys . . . . . 621
K. Yasuda (Saitama, Japan)

Relationship between composition, volume expansion and cyclic stability of $AB_5$-type metalhydride electrodes . . . . . 626
A. Züttel, D. Chartouni, K. Gross, P. Spatz, M. Bächler (Fribourg, Switzerland), F. Lichtenberg (Kelkheim, Germany), A. Fölzer (Treibach, Austria), N.J.E. Adkins (Stoke-on-Trent, UK)

**Electrochemical cells II: electrodes, cyclic behavior**

The recent research, development and industrial applications of metal hydrides in the People's Republic of China . . . . . 629
Q.D. Wang, C.P. Chen, Y.Q. Lei (Zhejiang, P.R. China)

The state of research and development for applications of metal hydrides in Japan . . . . . 635
I. Uehara, T. Sakai, H. Ishikawa (Osaka, Japan)

The influence of Co and various additives on the performance of $MmNi_{4.3-x}Mn_{0.33}Al_{0.4}Co_x$ hydrogen storage alloys and Ni/MH prismatic sealed cells . . . . . 642
J.M. Cocciantelli (Bordeaux, France), P. Bernard (Marcoussis, France), S. Fernandez, J. Atkin (Bordeaux, France)

Influence of preparation methods of non-stoichiometric hydrogen-absorbing alloys on the performance of nickel–metal hydride secondary batteries . . . . . 648
N. Higashiyama, Y. Matsuura, H. Nakamura, M. Kimoto, M. Nogami, I. Yonezu, K. Nishio (Osaka, Japan)

New activation process for Zr-Ti-Cr-Mn-V-Ni alloy electrodes: The hot-charging treatment . . . . . 652
J.-H. Jung, H.-H. Lee, D.-M. Kim, B.-H. Liu, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

An impedance model for electrode processes in metal hydride electrodes . . . . . 656
L.O. Valøen, S. Sunde, R. Tunold (Trondheim, Norway)

Investigation of $AB_5$ type hydrogen storage alloy corrosion behavior in alkaline electrolyte solutions . . . . . 660
M. Yamamoto, M. Kanda (Kawasaki, Japan)

Metal hydride electrodes with lamellar-type network structure . . . . . 665
H. Yoshinaga, M. Wada (Kyoto, Japan), T. Sakai, H. Miyamura, N. Kuriyama, I. Uehara (Osaka, Japan)

**Hydrogen gas applications**

A pressure–temperature swing process for the methanation of carbon oxides using fluorinated hydriding alloys . . . . . 668
S. Suda, K. Iwata, Y.-M. Sun, Y. Komazaki, F.-J. Liu (Tokyo, Japan)

Thermodynamic properties of metal hydrides for a novel heat pump configuration . . . . . 673
G.G. Libowitz (Morristown, NJ, USA), K.T. Feldman Jr., C. Stein (Albuquerque, NM, USA)

Characteristics of heat–hydrogen gas energy conversion and hydrogen gas transportation using hydrogen absorbing alloy . . . . 677
H. Takeda, T. Kabutomori, Y. Wakisaka, K. Ohnishi (Hokkaido, Japan)

Influence of expansion of metal hydride during hydriding–dehydriding cycles . . . . . 682
T. Saito, K. Suwa, T. Kawamura (Chiba-ken, Japan)

Hydride-based cold-start heater for automotive catalyst . . . . . 686
P.M. Golben, D. DaCosta, G. Sandrock (Ringwood, NJ, USA)

A tubular reactor for continuous hydrogenation of oleic acid under moderate conditions using a thin hydride layer of hydrogen storage alloy $LaNi_{4.8}Cu_{0.2}$ as catalyst . . . . . 689
G. Zhu, Y. Lei, Q. Wang, X. Yang (Zhejiang, P.R. China)

Thermodynamic and structural changes of various intermetallic compounds during extended cycling in closed systems . . . . . 692
M. Wanner, G. Friedlmeier, G. Hoffmann, M. Groll (Stuttgart, Germany)

Preparation and properties of metal matrix hydride compacts via the rotary forging compaction route . . . . . 698
D.B. Willey, A.J. Williams, I.R. Harris (Birmingham, UK)

Author Index of Volumes 253–254 . . . . . 705

Subject Index of Volumes 253–254 . . . . . 709

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.